

Manntree®
— Paint My Love—

Manntree Paint Co.,Ltd
Tel: + 44 - 161818 8708
Web: www.manntree.co.uk



Headquarters

42 Drumalig Road, Belfast, N.Ireland
BT8 8 EQ, United Kingdom

Design by Manntree in United Kindom

Ramsey X



Manntree®
— Paint My Love—

MORE INSPIRATIONS

DESIGN SURFACES
WITH HARMONIOUS COLORS
AND MATERIAL TEXTURES

Soft texture

Original British fluff and pigments,
Smooth and delicate touch, stable color

Easy construction

Roller coating or brush coating are both
acceptable, Easy to operate, natural effect

Natural Matte

Fluidized design, Gradual matte
cloud-like effect with ease

Anti pollution

Easily resist daily stains and scratches,
Repeatedly scrubbing, clean as new

Ramsey X

STYLISH
HOUSE
FOR
ENVIRONMENTAL
LIFESTYLE



Manntree®
— Paint My Love —




TCF - M88(30g)


PRX - M88(30g)




A brand new
concept and way of **LIFE.**



PRX - Based



TCF - M66(30g)



PRX - M66(30g)



TCF - M66(50g)

PRX - M66(50g)



TCF - M66(100g)

PRX - M66(100g)



TCF - M72(30g)



PRX - M72(30g)

TCF - M72(50g)

PRX - M72(50g)

TCF - M72(100g)

PRX - M72(100g)



TCF - M40(30g)


PRX - M40(30g)

TCF - M40(50g)

PRX - M40(50g)


TCF - M40(100g)

PRX - M40(100g)




TCF - M77(30g)

PRX - M77(30g)




TCF - M77(50g)

PRX - M77(50g)




TCF - M77(100g)

PRX - M77(100g)




TCF - M74(30g)

PRX - M74(30g)




TCF - M74(50g)

PRX - M74(50g)



TCF - M74(100g)

PRX - M74(100g)



TCF - M80(30g)

PRX - M80(30g)




TCF - M80(50g)

PRX - M80(50g)



TCF - M80(100g)

PRX - M80(100g)




TCF - M89(30g)

PRX - M89(30g)




TCF - M89(50g)

PRX - M89(50g)




TCF - M89(100g)


PRX - M89(100g)



TCF - M07(30g)




PRX - M07(30g)




TCF - M07(50g)

PRX - M07(50g)



TCF - M07(100g)



PRX - M07(100g)



TCF - M05(30g)



PRX - M05(30g)



TCF - M05(50g)


PRX - M05(50g)



TCF - M05(100g)



PRX - M05(100g)



TCF - M107(30g)



PRX - M107(30g)

TCF - M107(50g)

PRX - M107(50g)

TCF - M107(100g)

PRX - M107(100g)

TCF - M107(50g)

PRX - M107(50g)

TCF - M50(30g)


PRX - M50(30g)

TCF - M50(50g)


PRX - M50(50g)

TCF - M50(100g)


PRX - M50(100g)



TCF - M97(30g)




PRX - M97(30g)




TCF - M97(50g)

PRX - M97(50g)



TCF - M97(100g)




PRX - M97(100g)



TCF - M96(30g)




PRX - M96(30g)



TCF - M96(50g)

PRX - M96(50g)



TCF - M96(100g)



PRX - M96(100g)

TCF - M87(30g)


PRX - M87(30g)

TCF - M87(50g)

PRX - M87(50g)

TCF - M87(100g)

PRX - M87(100g)



TCF - 6226(30g)



PRX - 6226(30g)



TCF - 6226(50g)

PRX - 6226(50g)

TCF - 6226(100g)

PRX - 6226(100g)



Ramsey X

Selective construction

After 24 hours of drying, if waterproof treatment is required, waterproof super wax can be chosen.





TCF - M75(30g)



PRX - M75(30g)

TCF - M75(50g)

PRX - M75(50g)



TCF - M75(100g)

PRX - M75(100g)



TCF - M23(30g)



PRX - M23(30g)

TCF - M23(50g)

PRX - M23(50g)



TCF - M23(100g)

PRX - M23(100g)



TCF - M51(30g)



PRX - M51(30g)

TCF - M51(50g)

PRX - M51(50g)



TCF - M51(100g)

PRX - M51(100g)




TCF - M81(30g)



PRX - M81(30g)

TCF - M81(50g)

PRX - M81(50g)



TCF - M81(100g)

PRX - M81(100g)



TCF - M88(30g)



PRX - M88(30g)

TCF - M88(50g)

PRX - M88(50g)



TCF - M88(100g)

PRX - M88(100g)



TCF - M61(30g)



PRX - M61(30g)


TCF - M61(50g)

PRX - M61(50g)



TCF - M61(100g)

PRX - M61(100g)



TCF - M42(30g)



PRX - M42(30g)

TCF - M42(50g)

PRX - M42(50g)



TCF - M42(100g)

PRX - M42(100g)




TCF - M104(30g)



PRX - M104(30g)

TCF - M104(50g)

PRX - M104(50g)



TCF - M104(100g)

PRX - M104(100g)



| | | | |
|------------------|--|------------------|------------------|
| Characteristics: | Superior feel and construction of surfaces | | |
| Main ingredients | Original British fluff powder, white carbon black, nano calcium carbonate, lead-free titanium dioxide, cellulose | Net weight | 5kg / barrel |
| Shelf life | 12 months in dry condition at room temperature (at the time of original delivery) | Reference dosage | 4-6m² /kg/2times |

Ramsey - X

Ramsey the small city is located in the northeast of the isle of man, the legend in the middle ages the triton Manannan Mac lir in order to protect the island from outside attack and abuse, often incantation hid island in the fog, so the Ramsey since the middle ages around ”mystery ot fog”, and "color lex takes inspiration from the mysterious Ramsey city,Nowadavs, classical color collocation is contemporary adornment idea, will present brand-new concept and life style.

Features

- ① Original British fluff and pigments, Smooth and delicate touch, stable color
- ② Fluidized design , Gradual matte cloud-like effect with ease
- ③ Roller coating or brush coating are both acceptable, Easy to operate, natural effect
- ④ Easily resist daily stains and scratches,Repeatedly scrubbing, clean as new

Selective construction

After 24 hours of drying, if waterproof treatment is required, waterproof super wax can be chosen.

Technical description

- ① Different batches of materials can not be applied to the same wall.
- ② Different substrates will make the color (possibly) different.
- ③ The material that has been mixed with water should be used up within 24 hours.
- ④ Waterproof Super Wax must be used when applying to non-waterproof walls or in lavatories.

Base surface requirements

- ① Cement mortar substrate needs to be maintained for more than 6 days, PH less than 11 degrees
- ② Neutral putty, leveling, sanding, dust can be directly after construction
- ③ The mortar base needs to be leveled and polished with putty powder, and alkaline putty should be maintained for about 15 days.
- ④ When renovating the old wall, the base surface needs to be flat and free of cracks, shedding, bulging, dust and oil stains.

Matters needing attention

- ① Please mix thoroughly first.
- ② Pay attention to the critical point of the environment: it can not be applied if the temperature is lower than 5°C and the relative humidity is higher than 85 %.
- ③ Please keep it out of the reach of children.

Scope of application

High-quality European wall velvet, suitable for interior wall decoration, and must not be exposed to moisture.
At the same time, it has high-quality cashmere texture
We recommend using it in the living room or study/bedroom.

Technical support

Feel free to visit Manntree's official website www.manntree.co.uk
to get the latest information about this product.

TOOLS



Wool Roller



Pig Hair Brush

Construction Technology

Note: Under normal circumstances, each construction interval of at least 4-6 hours



① Please stir"Ramsey" thoroughly before use




② Evenly apply the sealing primer, and the bottom layer should be completely waterproof after brushing.



③ Dilute the water with less than 5% of the water to dilute(limit the higher water quantity)



④ Brush the walls 1-2 times with a non-standard method.



⑤ Finished effect.